

FIG. 1

BEST AVAILABLE COPY

2/16




FIG. 2






FIG. 3

4/16



D

FIG. 4

5/16





FIG. 5



A



B

FIG. 6

7/16




FIG. 7


8/16



FIG. 8


9/16

FIG. 9



10/16

FIG. 10




11/16

FIG. 11




Beads covered with antibodies and cells



Beads can be manipulated using
external magnetic fields

12/16

FIG. 12






FIG. 13




FIG. 14




FIG. 15




FIG. 16





FIG. 17

16/16



RNA gel electrophoresis. Tracks for 10ng control, RNA isolated from 677 and 1200 B lymphoblastoma cells using the microfabricated device.

FIG. 18.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.